

# MATERIAL SAFETY DATA SHEET

## COLA

(In accordance with the Regulation of Committee (EU) no. 830/2015)



---

### Section 1: Identification of the substance/mixture and of the company/undertaking

---

#### 1.1 Product identifier:

COLA

Substances causing hazard to label:

Contains lime oil, orange oil, lemon oil, cinnamaldehyde, cinnamic oil, d-limonene, citral

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant identified uses: aromatizing composition

#### 1.3 Details of the supplier of the safety data sheet:

Responsible entity: Inawera DOT COM sp. z o.o Spółka Komandytowa

Address: Jeżynowa 11, 20-258 Turka, Poland

Phone: +48 516 653 075

Address of a person responsible for Safety Data Sheet: biuro@inawera.com

#### 1.4 Emergency telephone number:

112

---

### Section 2: Hazards identification

---

#### 2.1 Classification of the substance or mixture:

Mixture is classified as hazardous in according with regulation 1272/2008/EC

Asp. Tox.1, H304 – Aspiration Toxicity, category 1: May be fatal if swallowed and enters airways

Skin Irrit. 2, H315 – Skin Irritation, category 2: Causes skin irritation

Skin Sens. H317 – Skin Sensitisation, category 1: May cause an allergic skin reaction

Eye Irrit. 2, H319 – Eye Irritation, category 2: Causes serious eye irritation

Aquatic Aqute 1, H400 – Acute hazardous to the aquatic environment, category 1: Very toxic to aquatic life

Aquatic Chronic 1, H410 – Chronic hazardous to the aquatic environment, category 1: Very toxic to aquatic life with long lasting effects

#### 2.2 Label elements

Mixture label and phrases designing the conditions of safe use in according with the regulation 1272/2008/EC



Signal word:

**DANGER**

Hazardous statement:

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H410 Very toxic to aquatic life with long lasting effects

Supplemental hazard information:

EUH208 Contains bergamot oil, geranyl acetate, 1,8-cineol, citronellal, eugenol,  $\beta$ -caryophyllene.

Precautionary statement:

P261 Avoid breathing spray.

P280 Wear protective gloves/eye protection

P301+P310 IF SWALLOWED: Immediately call a doctor.

# MATERIAL SAFETY DATA SHEET

## COLA

(In accordance with the Regulation of Committee (EU) no. 830/2015)



P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P337+P313	If skin irritation or rash occurs: and/else if eye irritation persists: Get medical advice.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container remove in accordance with the local legislation.

### 2.3 Other hazards

In the content of the mixture does not consist PBT or vPvB substances or affecting the ozone layer.

## Section 3: Composition/information on ingredients

### 3.2 Mixtures

Ingredients causing hazard

Ingredient	Index number	registration number	CAS number	EC number	% of weight	Classification in accordance with regulation EC no. 1272/2008
Lemon oil	-	01-2119495512-35-XXXX	8008-56-8	284-515-8	≥10- <20	Flam Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
Orange oil	-	01-2119493353-35-XXXX	8028-48-6	232-433-8	≥10- <20	Flam Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
d-limonene	601-029-00-7	01-2119529223-47-XXXX	5989-27-5	227-813-5	≥10- <15	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
Lime oil	-	01-2120138646-51-XXXX	90063-52-8	290-010-3	≥1-<10	Flam Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
Cinnamaldehyde	-	01-2119935242-45-XXXX	104-55-2	203-213-9	≥1-<5	Acute Tox. 4, H312; Skin Irrit. 2, H315; Skin Sens. 1A, H317; Eye Irrit. 2, H319
Vanillin	-	01-2119516040-60-XXXX	121-33-5	204-465-2	≥1-<5	Eye Irrit. 2, H319
Citral	605-019-00-3	01-2119462829-23-XXXX	5392-40-5	226-394-6	≥1-<5	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319
Benzaldehyde	605-012-00-5	01-2119455540-44-XXXX	100-52-7	202-860-4	≥1-<5	Acute Tox. 4, H302; Eye Irrit. 2, H319; Acute Tox. 4, H332; STOT SE 3, H335;
Terpineol	-	01-2119553062-49-XXXX	8000-41-7	232-268-1	≥1-<5	Skin Irrit. 2, H315; Eye Irrit. 2, H319

# MATERIAL SAFETY DATA SHEET

## COLA

(In accordance with the Regulation of Committee (EU) no. 830/2015)



Ethyl maltol	-	01-2120758795-36-XXXX	4940-11-8	225-582-5	≥1-<5	Acute Tox. 4, H302
Ethyl acetate	607-022-00-5	01-2119475103-46-XXXX	141-78-6	205-500-4	≥0,1-<1	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336 EUH066
1,8-cineol	-	01-2119967772-24-XXXX	470-82-6	207-431-5	≥0,1-<1	Flam Liq. 3, H226; Skin Sens. 1B, H317; Aquatic Chronic 3, H412
Eugenol	-	*	97-53-0	202-589-1	≥0,1-<1	Skin Sens. 1B, H317; Eye Irrit. 2, H319
Cinnamic oil	-	exempted; art. 6	84649-98-9	283-479-0	≥0,1-<1	Asp. Tox. 1, H304; Acute Tox. 3, H311; Skin Irrit. 2, H315; Skin Sens. 1A, H317; Eye Irrit. 2, H319; Aquatic Chronic 2, H411
Gernayl acetate	-	01-2119973480-35-XXXX	105-87-3	203-341-5	≥0,1-<1	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412
Citronellal	-	*	106-23-0	203-376-6	≥0,1-<1	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319
β-caryophyllene	-	*	87-44-5	201-746-1	≥0,1-<1	Asp. Tox. 1, H304; Skin Sens 1B, H317
Bergamot oil	-	01-2120117613-65-XXXX	89957-91-5	289-612-9	≥0,1-<1	Flam Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319; Aquatic Acute 1, H400; Aquatic Chronic 1, H410

Full text of showing type of hazard H is given in section 16.

### Section 4: First aid measures

The person providing assistance should undertake all precautions measures ensuring him/her a safe possibility to perform rescue action in the direct health hazard.

#### 4.1 Description of first aid measures

##### Inhalation:

Immediately move the injured person from a place where the vapors are released and provide access to fresh air. Make injured person deeply inhale and exhale. If the injured person lost the consciousness, but respires, move him into lateral position, constantly watching him. If there is not a breath, open the airways of the injured person and begin CPR – artificial respiration in the pace of 30 inspirations and 2 pressures per minute on the thorax.

##### Skin contact:

Take off immediately contaminated clothes. Wash out contaminated skin with plenty of water and soap. In case of irritation wash out with water until the scorching vanishes or medical aid comes. If the irritation prolongs consult a doctor immediately, show label/product leaflet.

##### Eye contact:

Remove any contact lenses. Wash out contaminated eye with plenty of water for at least 15 minutes with the eyelid hold wide open. If redness persists contact with ophthalmologist, show label/product leaflet.

##### Ingestion:

Do not vomiting. Call medical aid. Rinse mouth with water and drink plenty of water. . If the injured person lost the consciousness, but respires, move him into lateral position, constantly watching him. If there is not a breath,

# MATERIAL SAFETY DATA SHEET

## COLA

(In accordance with the Regulation of Committee (EU) no. 830/2015)



open the airways of the injured person and begin CPR – artificial respiration in the pace of 30 inspirations and 2 pressures per minute on the thorax until medical aid comes, show label/product leaflet.

### 4.2 Most important symptoms and effects, both acute and delayed

In case of a contact of the mixture with the skin possible are skin rednesses and irritations. In case of eye contact redness is possible. In case of ingestion irritations of digestive track are possible with vomiting and nausea. Prolonged symptoms require an immediate medical help. If needed show label/product leaflet.

### 4.3 Indication of any immediate medical attention and special treatment needed

None

---

## Section 5: Firefighting measures

---

### 5.1 Extinguishing measures:

Suitable extinguishing measures: extinguishing powders, extinguishing foams, CO<sub>2</sub>.  
Unsuitable extinguishing measures: compact water flow

### 5.2 Special hazards arising from the substance or mixture

If burning, may produce hazardous fumes or vapors: carbon oxides, carbonyl compounds.

### 5.3 Advice for firefighters

Firefighters should have special protective equipment such as: clothes, coveralls, gloves, eyes and face protective equipment and respiratory device. Container exposed on fire or high temperature cool, pouring water and if possible remove from endangered area.

---

## Section 6: Accidental release measures

---

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure appropriate ventilation. Use protective clothes and all security measures to avoid the contact of the substance with the skin and eyes.

### 6.2 Environmental precautions

Secure gullies from getting the mixture into sewage system, surface water and ground water. Place little capacities of the mixture on the absorbing mats. In case of a transport use absorbing baths.

### 6.3 Methods and materials preventing the contamination and cleaning up.

In case of contamination of the mixture save sewage system from further leaks by embanking or the use of absorbing materials (sand, diatomaceous earth, sawdust, binders) or remove to closed containers. Secure damaged containers. A dollop of mixture rinse with plenty of water. The place of contamination wash with detergents.

### 6.4 Reference to other sections

See section 8 and 13

---

## Section 7: Handling and storage

---

### 7.1 Precautions for safe handling

Mixture should be used in a well ventilated rooms far away from the sources of heat and ignition and electric wires. Do not inhale vapors. It is advised to take safety precautions to avoid the skin and eye contact of the mixture. Do not eat, drink, smoke in a work place. After work or in case of leaving the work place wash hands carefully and take off the workwear.

### 7.2 Conditions for safe storage, including any incompatibilities

Protect from the sunshines. Keep in a dry, ventilated, dark place, in the temperature 5-25°C away from heating sources in tightly closed, original boxes.

### 7.3 Specific end uses

Aromatising composition

# MATERIAL SAFETY DATA SHEET

## COLA

(In accordance with the Regulation of Committee (EU) no. 830/2015)



---

### Section 8: Exposure controls/personal protection

---

#### 8.1 Control parameters

Name of agent	CAS	Eight hours		Short-term	
		mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	ppm
Ethyl acetate	141-78-6	734	200	1468	400

Legal basis: COMMISSION DIRECTIVE: 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU

**Please check any national occupational exposure limit value for components in your country from Section 3**

#### 8.2 Exposure control

*Technical guidance:*

Ensure adequate ventilation and places to wash the eyes, hands and the storage protective clothes (hangers, wardrobes) place for the working time and after its end.

*Personal protection:*

All protections should be chosen to at least one substance on a highest per cent concentration in the mixture (and mentioned in subsections 8.1).

Respiratory protection:

In the normal conditions of the mixture use, it is not necessary to use additional protection. In case when is likely an appearance of vapor one should use ventilation to remove contaminated air from work place. With too little efficiency of the ventilation you can use half-masks with absorbers A type (brown colour) or AX (brown colour) or SX (violet colour) on a 1 class protection. Mask should the most precisely adhere to the face. Every half-mask should met the norm EN 140:2001, absorbers norm EN 14387: 2006 or newer.

Skin protection:

a) Protective gloves made in a whole of gum or plastic may be additionally knurled on the absorbing resistance on the 3 level. Gloves should be adjusted individually to every worker, not hindering the work. Taking off to avoid the skin contamination. Gloves should meet the norm EN 374-1:2005 or newer.

b) While working with the mixture use at least a front smock protecting against chemical substances, meeting the norm EN 14605, use additionally antyelectrostatic clothes.

c) In case of a transport of a substantial amount of the mixture you may use protective shoes, chemical resistant II category according to the norm EN 13832-2007 or newer, with the time absorption 3.

Eyes or face protection

In case of a possibility of splashing the mixture you can use protective goggles, adhering closey to the face of an user. Familiarise with producer's info before use. Goggles should meet the norm EN 166.

Before work with protective clothes or equipment, watch them carefully, look after the date of use. If they will lose their properties during the work, change them immediately to new ones. Read carefully the information enclosed to clothes or equipment.

**The final decision about using protective clothes should be undertake after familiarizing with work conditions, taken along with Health and Safety worker.**

---

### Section 9: Physical and chemical properties

---

#### 9.1 Information on basic physical and chemical properties

Appearance:	State of matter – liquid, colour – bright yellow to yellow
Odour:	cola
Odour treshold;	not determinated
pH:	not determinated
Melting point/freezing point:	not determinated
Initial boiling point and boiling range:	not determinated
Flash point:	65°C
Evaporation rate:	not determinated
Flammability (solid, gas):	not concerns
Upper/lower explosive limit:	not determinated

# MATERIAL SAFETY DATA SHEET

## COLA

(In accordance with the Regulation of Committee (EU) no. 830/2015)



---

Vapour pressure:	not determined
Vapour density:	not determined
Relative density:	10,943 – 0,983 g/cm <sup>3</sup> (20°C)
Solubility	not determined
Partition co-efficient n-octanol/water	not determined
Auto ignition temperature:	not determined
Decomposition temperature:	not determined
Viscosity:	not determined
Explosive properties:	not display
Oxidising properties:	not determined

### 9.2 Other information

No additional data

---

## Section 10: Stability and reactivity

---

### 10.1 Reactivity

Little reactive mixture. It is not polymerized.

### 10.2 Chemical stability

Stored and used in recommended conditions is stable.

### 10.3 Possibility of hazardous reactions

Hazardous reactions are not known.

### 10.4 Conditions to avoid

Avoid sunlight, keep away from the source of heat and fire damp places

### 10.5 Incompatible materials

Strong oxidian substances.

### 10.6 Hazardous decomposition products

Not known

---

## Section 11: Toxicological information

---

### 11.1 Information on toxicological effects

There is not available data concerning the toxicity for the mixture.

Acute toxicity:	No
Skin corrosion/ skin irritation:	Causes skin irritation
Serious eyes damage /irritation:	Causes serious eye irritation
Respiratory or skin sensitisation:	May cause an allergic skin reaction
Germ cell mutagenicity:	No
Carcinogenicity:	No
Harmful on reproduction:	No
Toxic impact on target organs – single risk:	No
Toxic impact on target organs – multiple risk:	No
Hazard caused by aspiration:	May be fatal if swallowed and enters airways

# MATERIAL SAFETY DATA SHEET

## COLA

(In accordance with the Regulation of Committee (EU) no. 830/2015)



---

### Section 12: Ecological information

---

The impact of the mixture is impossible to establish empirically. It is advised to use all the possible ways not to release to the environment.

#### 12.1 Toxicity

There is not available data concerning the toxicity for the mixture.

#### 12.2 Persistence and degradability

There is not available data for the mixture concerning degradability in the environment by biodegradation or other processes.

#### 12.3 Bioaccumulative potential

There is not available data concerning bioaccumulation for the mixture.

#### 12.4 Mobility in soil

There is not available data concerning mobility in soil for the mixture.

#### 12.5 Results of PBT and vPvB

No data available.

#### 12.6 Other adverse effects

There is not available data concerning other adverse effects.

---

### Section 13: Disposal considerations

---

#### 13.1 Waste treatment methods

Store mixture in original containers. Do not pour into sewage. Reuse in accordance with the local legislation. Recycle or reuse or liquidate empty containers in accordance with local legislation. Disposal method can be found in the directive of European Parliament and Council: 2008/98/EC, 94/62/EC

---

### Section 14: Transport information

---

#### 14.1 UN number

ADR/RID/ ICAO: 3082

#### 14.2 UN proper shipping name

ADR/RID/ ICAO: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S

#### 14.3 Transport hazard class (es)

ADR/RID/ ICAO: 9

#### 14.4 Packaging group

ADR/RID/ ICAO: III

#### 14.5 Environmental hazards

ADR/RID/ ICAO: YES

#### 14.6 Special precautions for the users

Use personal protective equipment as recommended by ADR /RID/ICAO

#### 14.7 Transport in bulk in accordance to Annexe II of MARPOL 73/78 and IBC Code

No available data



# MATERIAL SAFETY DATA SHEET

## COLA

(In accordance with the Regulation of Committee (EU) no. 830/2015)



---

### Section 15: Regulatory information

---

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Regulation (EC) no 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) no 793/93 and Commission regulation (EC) no 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 200/21/EC
- Regulation (EC) no 1272/2008 of European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) no 1907/2006
- Commission regulation (EC) no 790/2009 of 10 August 2009 amending, for the purposes of its adaptation to technical and scientific progress, regulation (EC) no 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) no 830/2015 of 28 May 2015 amending Regulation (EC) no 1907/2006 of the European Parliament and of the Council on the Registration, evaluation, Authorisation and Restriction of Chemicals (REACH)
- Directive of the Council no 86/686/EEC of 21 December 1989 on the rapprochement of the legislation of members states concerning personal protective equipment

#### 15.2 Chemical safety assessment

Not required chemical safety assessment for the mixture

---

### Section 16: Other information

---

The information contained in this safety data sheet is intended to describe only terms of safety requirements. An user is responsible for taking all necessary steps for the requirements of national law and to create conditions for safety use of the product. The user takes full responsibility for the consequences of the use of this product.

Classification of the mixture based on the sum of the concentrations of the hazardous substances, the calculation method.

Explanation of abbreviations and acronyms:

Acute Tox. – Acute Toxicity

ADR - European agreement concerning international road transport of hazardous goods

CAS - Numerical notation designed to a chemical substance by Chemical Abstract Service

EC - designates the number assigned to a chemical substance in European List of Commercial Existing Substances

Flam. Sol. - Flammable Solid

ICAO - International Civil Aviation Organisation

PBT - Stable substances, toxic and having capacity to bioaccumulation

RID - Rules of international rail transport of hazardous goods

STOT SE. - Specific target organ toxicity after single exposure

vPvB –Very stable substances, having very big capacity to bioaccumulation

H-phrases mentioned in section 3:

H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin.
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.



# MATERIAL SAFETY DATA SHEET

## COLA

(In accordance with the Regulation of Committee (EU) no. 830/2015)



inawera.com

---

Changed section:

Section 2: reclassification

Section 3: changed of mixture ingredients

Section 9: changed of flash point and density

Section 14: changed of UN number

\* not applicable

Date of revision:	05.09.2018
Data of updata:	13.01.2017
Date of issue:	22.09.2014
Version:	1.4/EN
Changed section:	2,3,9,14
Safe Data Sheet made by:	Jacek Turczyn
Translator:	Marcin Pytel

inawera.com